

رؤية
VISION
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA



Hydrant Cabinet and Accessories

SFFECO is an ISO9001 certified manufacturing company by BRE Global, is a market leader and specialize in manufacturing of fire-fighting equipment in the world. SFFECO has a long standing established reputation for pioneering innovation ever since its foundation in 1983.

SFFECO has its own state-of-the-art manufacturing plants in Riyadh and Dubai producing end-to-end range of products for the fire fighting industry matching international standards in quality.

SFFECO with its innovative approach provides the entire gamut of products that caters to the needs of the Fire Protection and Fire Fighting industry. This makes SFFECO a one-stop-shop for customers, fulfilling their end-to-end needs in products, solutions and services for the industry.

SFFECO continually expands upon its knowledge and services to keep its clients updated with the latest Fire Fighting Technology in the world. The product range manufactured by SFFECO confirms and holds approval to international standards.



SFFECO FIRE HYDRANT CABINETS ARE AVAILABLE IN CUSTOMIZED SIZE AND DESIGN TO MEET ARCHITECTURAL REQUIREMENTS.

Hydrant Cabinets

- ❖ SFFECO Fire Hydrant cabinets are designed to be weatherproof, and normally equipped with hoses, hose nozzles, hydrant wrenches, spanner wrenches, fire axe, flashing light, torch, etc as per customer requirement.
- ❖ SFFECO Fire hydrant cabinets are generally constructed as a vertical type single door cabinet.
- ❖ Cabinets are manufactured from Mild Steel or Stainless Steel material with a thickness of 0.9mm to 2.0 mm which depends on usage or customer request. (Standard is 1.2 mm)
- ❖ Cabinets can be painted with Powder Coated for elegant finish and protection from rust.
- ❖ Cabinets of stainless steel also available with hairline or mirror finish.
- ❖ Back box, Door and Frame can be of different thickness and material.
- ❖ Fire hydrant cabinets are available with self standing legs.
- ❖ The cabinets are available with all around folded edges without any sharp edges.
- ❖ Operation Instructions are silk screen printed in Arabic and English languages inside the cabinet.
- ❖ Hinges are available with Piano type / Bush Pin Hinges / Concealed Pin Hinges as per requirement.
- ❖ Pressure Reducing Valve or Lock Shield Valve are available upon request.
- ❖ Cabinet is designed to be weather-proof.

In line with our policy of continuous product improvement, SFFECO reserves the right to modify specifications without prior notice.

Fire Hydrant Cabinet

Dimension Details



MODEL	WIDTH (MM)	HEIGHT (MM)	DEPTH (MM)	LEG HEIGHT (MM)
SHC/750 Series	800	1000	250	600
SHC/800 Series	800	1500	250	100

Cabinet Accessories, Synthetic Fire Hose

SFFECO Fire Hose is an exceptional firefighting grade hose. It is developed for the hard situation of fire department use.

Hose Size:

1.5"
(40mm)

2.5"
(65mm)

Hose Length :

30 Meter ☐

Other Size:



Approval :

Standard ☐

UL Listed ☐

- ❖ Lining Material : Natural Rubber Compound / Polyurethane
- ❖ Coupling : Aluminum Anodized NST Coupling
- ❖ Lining Color : Black / Transparence

- ❖ Working Pressure : 16 bar
- ❖ Testing Pressure : 25 bar
- ❖ Min Bursting Pressure : 50 bar

Hose Size / Diameter	1.5" (40 mm)	2.5" (65mm)
Actual Diameter	38mm - 40mm	63.5mm - 65.5mm
Max. Weight without Coupling	160 Gram/mtr.	550 Gram/mtr.
Jacket	Weaving Method	Plain Weaving / Twill Weaving
	Warp	Polyester Spun Yarn / Polyester Filament
	Weft	Polyester Filament
	Stripe	Without
	Colour	White

Note: Hose with other size or specifications are available upon requirement.
Hose is provided with Aluminum Anodized NST Coupling;
Other type of couplings are also available upon request.

In line with our policy of continuous product improvement, SFFECO reserves the right to modify specifications without prior notice.

Fire Hydrant Cabinet and Accessories

Fire Axe ○



- ❖ Axe. With Wood Handle.
- ❖ Size Small.
- ❖ Red Painted.
- ❖ Length: 35.5 cm
- ❖ Weight: 0.87 kg
- ❖ Quantity: 1 Number

Pin Lug Spanner Wrench ○



- ❖ Spanner.
- ❖ Universal Pin Lug.
- ❖ Cast Iron,
- ❖ Red Painted.
- ❖ Length: 28 cm
- ❖ Weight: 0.55 kg
- ❖ Quantity: 1 Number

Adjustable Hydrant Wrench ○



- ❖ Adjustable Spanner.
- ❖ Cast Iron.
- ❖ Red Painted with Chrome Plated Handle.
- ❖ Length: 43.5 cm
- ❖ Weight: 2.27 kg
- ❖ Quantity: 1 Number

Hose Nozzle Model A



Jet Brass Nozzle

- 1.5" (40mm)
- 2.5" (65mm)

Hose Nozzle Model B



Adjusted Brass Branch Nozzle
Optional UL Listed

- 1.5" (40mm)
- 2.5" (65mm)

Gasket ○



4 Pieces of Rubber Gasket for 2.5" Hose Coupling.

Optional Accessories

- ❖ Extra Fire Hose 2.5" or 1.5" Double Jacket Hose.
- ❖ Crow Bar / Flashing Light / Torch.
- ❖ 2.5" Underwriters Play Pipe.
- ❖ Special series or customized cabinets are available upon request.
- ❖ Other accessories or equipments are available upon request

Notes:

In line with our policy of continuous product improvement, SFFECO reserves the right to modify specifications without prior notice.

شركة المصنع السعودي لأجهزة الإطفاء SAUDI FACTORY FOR FIRE EQUIPMENT Co.

FACTORY & HEAD OFFICE - RIYADH

2nd Industrial Area
Al-Kharj Road, Riyadh, KSA,
P.O. Box: 58469, Riyadh 11515
Tel : +966 11 2650070,
E-mail: riyadh@sffeco.com.sa

SFFECO GLOBAL - DUBAI

P.O. Box: 261318
JAFZA South, Dubai U.A.E.
Tel: +971 4 880 9890,
E-mail: sales@sffecoglobal.com

JEDDAH BRANCH

P.O. Box: 16769, Jeddah – 21474, KSA
Tel : +966 12 670 6009
E-mail: jeddah@sffeco.com.sa

DAMMAM BRANCH

P.O. Box: 7162, Dammam – 31462, KSA
Tel : +966 13 8351961
E-mail: dammam@sffeco.com.sa

MADINAH BRANCH

Tel : 0148660959, 0148283256
E-mail: madinah@sffeco.com.sa

