



Clean-agent Extinguishing System Units Certified for Canada

COMPANY

EX15997

SAUDI FACTORY FOR FIRE EQUIPMENT CO

2nd Industrial Area Al-Kharj Rd
PO BOX 58469
Riyadh, 11515 Saudi Arabia



Trademark and/or Tradename:

Note: For additional marking information, refer to the [Guide Information Page](#)

View model for additional information

Engineered, Halocarbon, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating Chinese GB5100/2011 CCCF storage containers, 610 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating DOT/TC storage containers, 360 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating DOT/TC/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating INDIA PESO/IS storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating UN/TC/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating UN/TPED/ISO storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating UN/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime 227, HFC-227ea engineered extinguishing system units incorporating UN/TPED/TR CU/ISO/DOT/TC storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating DOT/TC storage containers, 360 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating DOT/TC/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating INDIA PESO/IS storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating UN/TC/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating UN/TPED/ISO storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating UN/TPED/TR CU/ISO storage containers, 360, 610, or 725 psig](#)

Engineered, Halocarbon, System Unit(s): [SFFECO Prime FK, FK-5-1-12 engineered extinguishing system units incorporating UN/TPED/TR CU/ISO/DOT/TC storage containers, 360, 610, or 725 psig](#)

[Last Updated](#) on 2025-11-06

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."