



شركة المصنع السعودي لأجهزة الإطفاء
SAUDI FACTORY FOR FIRE EQUIPMENT Co.

Empowering
a Safer Future for
the Kingdom



FIRE
VALVES



Quality Approvals for Various Products and Services

VER: 00-03/26




Hose Valve Wedge Type



Flanged Inlet



Screwed Inlet



Flanged Inlet

Model	Size	H (mm)	W (mm)	Inlet	Outlet
SFD-K65-GLVF	DN65	300	155	185	BS336

Screwed Inlet

Model	Size	H (mm)	W (mm)	Inlet	Outlet
SFD-K65-GLVS	DN65	255	138	2.5" BSP(F)	BS336
SFD-K65-GLVST	DN65	255	155	2.5" BSP	BS336

Technical Specification:

❖ Standard	Certificate to BS5041-2	❖ Outlet	Female instantaneous to BS336
❖ Body	Copper alloy, Thickness > 3mm	❖ Surface	Red or Yellow Painting
❖ Handwheel	Grey cast iron alloy	❖ Test Pressure	22.5 bar
❖ Blank cap	Copper alloy or plastic	❖ Fully open	4.5 turns
❖ Inlet	Flanged or BSP Screwed		



Since 1983, SFFECO has been a trusted name in fire protection, known for innovation and quality worldwide.

With state-of-the-art facilities in Riyadh and Dubai, we deliver a complete range of firefighting solutions that meet international standards.

Our innovative approach and comprehensive product portfolio make SFFECO the one-stop destination for reliable fire protection products and services.

شركة المصنع السعودي لأجهزة الإطفاء SAUDI FACTORY FOR FIRE EQUIPMENT Co.

FACTORY & HEAD OFFICE - RIYADH

2nd Industrial Area, Al-Kharj Road, Riyadh, KSA, P.O. Box: 58469, Riyadh 11515
Tel : +966 11 2650070, E-mail: riyadh@sffeco.com.sa

JEDDAH BRANCH

P.O. Box: 16769, Jeddah - 21474, KSA
Tel : +966 12 670 6009,
E-mail: jeddah@sffeco.com.sa

DAMMAM BRANCH

P.O. Box: 7162, Dammam - 31462, KSA
Tel : +966 13 8351961,
E-mail: dammam@sffeco.com.sa

MADINAH BRANCH

Tel : 0148660959, 0148283256,
E-mail: madinah@sffeco.com.sa

