



شركة المصنع السعودي لأجهزة الإطفاء سفيكو  
SAUDI FACTORY FOR FIRE EQUIPMENT Co.

Empowering  
a **Safer Future** for  
the Kingdom



## Fire Cabinets SF600 Series

HORIZONTAL - DOUBLE COMPARTMENT  
ONE FOR SEMI-RIGID FIRE HOSE REEL AND  
ONE FOR OPTIONAL FIRE EXTINGUISHER

- ❖ Recessed type cabinets
- ❖ Semi-Recessed type cabinets
- ❖ Surface type cabinets
- ❖ Self Stand type cabinets

Quality Approvals for Various Products and Services

VER: 00-12/25

# Fire Cabinets

## Model: SF 600 Series



- ❖ SFFECO Cabinets are manufactured from Mild Steel or Stainless Steel material with a thickness of 0.9mm to 2.0mm which depends on usage or customer request.
- ❖ Backbox, Door and Frame can be of different thickness and material.
- ❖ The cabinets are available with all around folded edges without any sharp edges.
- ❖ Optional Hairline or Mirror finish Stainless Steel cabinets are also available.
- ❖ Cabinets are painted with Powder Coated for elegant finish and protection from rust.
- ❖ Operation Instructions are silk screen printed in Arabic and English languages inside the cabinet.
- ❖ Hose Reels in cabinets are fully equipped with landing valves and nozzles.
- ❖ Cabinets are available in different size and design to meet architectural requirements.



Model: SF600



Model: SF600S


| Item                   | Specification                                          |
|------------------------|--------------------------------------------------------|
| Body Material (SF600)  | Mild Steel                                             |
| Body Material (SF600S) | Stainless Steel #304                                   |
| Thickness              | 0.9mm / 1mm / 1.2 mm / 1.5 mm / 2.0mm                  |
| Door Type              | Hinged Door with Lockable Latch                        |
| Hose Reel Size         | 1" or 3/4" Hose Reel, 30 meters length                 |
| Mounting Type          | Wall Mounted (Recessed / Surface / Semi-Recessed)      |
| Finish                 | Red Powder Coated (RAL 3000)                           |
| Inlet Connection       | 25 mm or 19 mm Brass / Chrome Finish Landing Valve     |
| Standard Compliance    | BS EN 694 Fire hose, made by SFFECO, KSA               |
| Color                  | Fire Red (RAL 3000), Polyester Powder Coated           |
| Markings               | Operation instructions printed on the door             |
| Accessories            | Nozzle, Landing Valve, Mounting Brackets (as required) |

- ❖ Other material types are available upon request.
- ❖ Cabinets in stainless steel are available with hairline or mirror finish as per customer request.

| MODEL   | WIDTH (W) | HEIGHT (H) | DEPTH (D) |
|---------|-----------|------------|-----------|
| SF600   | 1050      | 800        | 230       |
| SF600S  | 1050      | 800        | 230       |
| SF600A  | 1050      | 800        | 250       |
| SF600AS | 1050      | 800        | 250       |

All dimensions are in mm.

Note: Fire blanket or Fire axe can be fitted in place of Extinguisher. **Extinguisher sold separately.**



# Fire Cabinets

## Accessories



### Semi Rigid Fire Hose (Kitemark Approved)

- ❖ Model : SH19R and SH25R
- ❖ Size :  $\varnothing$  3/4" and 1" ( $\varnothing$  19mm and  $\varnothing$  25mm)
- ❖ Hose Length : 30 Mtr
- ❖ Work Pressure : 12 Bar
- ❖ Approval : BS EN-694:2014 Standard
- ❖ Hose Color : Red



### Fire Hose Reel

- ❖ Model : SF 30 SA - 25 (Manual)  
SF 30 A - SA - 25 (Automatic)
- ❖ Type (Standard) : Swinging Arm Type
- ❖ Type (Optional) : Fixed Type / Swinging Pipe Type
- ❖ Hose Length : 30 Mtr
- ❖ Approval : BS EN-671 / Sffeco Standard
- ❖ Swinging Angle : 180° (for Wall Mounted)
- ❖ Reel Diameter : 580mm
- ❖ Hose Color : Red (Other colors are available on request)
- ❖ Paint Finish : Electrostatic powder coat



Note: EN 671 Approved Hose Reels are provided with Plastic Nozzle and 1" Ball Valve & Nipple.

#### Nozzle



- ❖ Body: Brass & Chrome Plated
- ❖ 3 way control  
(Jet - Spray - Shut off)

#### Landing Valve



- ❖ Size 1" and 1.5":  
Brass body with chrome finish
- ❖ Size 2.5": Brass body
- ❖ Hand wheel made with steel and epoxy coated
- ❖ WP: 16 bar

#### Angle Valve



- ❖ Size 1.5": Brass body
- ❖ Hand wheel with steel epoxy coated
- ❖ UL/FM (Optional)

#### Plastic Nozzle



- ❖ 3 way control  
(Jet - Spray - Shut off)

#### Ball Valve & Nipple



- ❖ Size: 1"
- ❖ Body: Chrome plated

#### Pressure Restricting Angle Valve



- ❖ Size 1.5": Brass body
- ❖ Hand wheel with steel epoxy coated
- ❖ UL/FM (Optional)

EN 671 Approved Hose Reels are provided with

- \* Plastic Nozzle (Model A) and 1" Ball Valve & Nipple.

# Fire Cabinets

## Design and Finish



### Material and Finish

#### Full Stainless Steel Construction (Door, Frame & Backbox)

- ❖ Finish : Hairline / Mirror finish
- ❖ Thickness : 0.9mm / 1mm / 1.2mm / 1.5mm / 2mm

#### Full Mild Steel Construction (Door, Frame & Backbox)

- ❖ Finish : Red / as per customer request
- ❖ Thickness : 0.9mm / 1mm / 1.2mm / 1.5mm / 2mm

#### Backbox in Mild Steel

- ❖ Finish : Red / as per customer request
- ❖ Thickness : 0.9mm / 1mm / 1.2mm / 1.5mm / 2mm


#### Door and Frame in Stainless Steel

- ❖ Finish : Hairline / Mirror finish
- ❖ Thickness : 0.9mm / 1mm / 1.2mm / 1.5mm / 2mm


### Trim

- Flat Trim cabinet
- Curved Trim cabinet


### Mounting Type




### Door Opening Type



### Door Selection



### Glass Selection



## شركة المصنع السعودي لأجهزة الإطفاء سفيكو SAUDI FACTORY FOR FIRE EQUIPMENT Co.

#### FACTORY & HEAD OFFICE - RIYADH

2nd Industrial Area, Al-Kharj Road, Riyadh, KSA, P.O. Box: 58469, Riyadh 11515  
Tel : +966 11 2650070, E-mail: [riyadh@sffeco.com.sa](mailto:riyadh@sffeco.com.sa)

#### JEDDAH BRANCH

P.O. Box: 16769, Jeddah – 21474, KSA  
Tel : +966 12 670 6009,  
E-mail: [jeddah@sffeco.com.sa](mailto:jeddah@sffeco.com.sa)

#### DAMMAM BRANCH

P.O. Box: 7162, Dammam – 31462, KSA  
Tel : +966 13 8351961,  
E-mail: [dammam@sffeco.com.sa](mailto:dammam@sffeco.com.sa)

#### MADINAH BRANCH

Tel : 0148660959, 0148283256,  
E-mail: [madinah@sffeco.com.sa](mailto:madinah@sffeco.com.sa)



www.  
**SFFECO**.com